# ETHYLENE FLUOROHYDRIN



Other Names: 2-Fluoroethanol

- **WARNING!** POISON! BREATHING THE VAPOR, SKIN CONTACT OR SWALLOWING THE MATERIAL CAN KILL YOU!
  - Fire fighting gear (including SCBA) provides NO protection. If exposure occurs, remove and isolate gear immediately and thoroughly decontaminate personnel

#### Hazards:

- Container may BLEVE when exposed to fire
- Vapors are heavier than air and will collect and stay in low
- Combustion and decomposition products upon heating include toxic hydrogen fluoride gas

# **Awareness and Operational Level Training** Response:

- Do not put yourself in danger by entering a contaminated area to rescue a victim
- Stay upwind and uphill
- Determine the extent of the problem
- Isolate the area of release and deny entry
- Remove all ignition sources
- For container exposed to fire evacuate the area in all directions because of the risk of BLEVE
- Evacuate or shelter in place the immediate area and downwind for a large release
- Notify local health and fire officials and pollution control agencies
- If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated water

### Description:

- A liquid
- Color and odor not found
- Soluble in water
- Very flammable
- · Vapors are heavier than air and will collect and stay in low areas
- Freezes at -15° F

# **Operational Level Training Response:**

RELEASE, NO FIRE:

- Stop the release if it can be done safely from a distance
- Prevent material and runoff from entering sewers and waterways if it can be done safely well ahead of the release
- Use large amounts of water to disperse vapors contain runoff
- Consider the application of alcohol resistant (AFFF) foam to spilled liquid to control vapors
- Ventilate confined area if it can be done without placing personnel at risk

## FIRE:

- Specially trained personnel operating from a safe distance can fight fires using alcohol resistant (AFFF) foam or dry chemical if available in sufficient amounts or use fog streams to extinguish burning liquid or dilute to a nonflammable mixture. Keep exposures cool to protect against re-ignition. Do not direct straight streams into the liquid.
- Cool exposed containers with large quantities of water from unattended equipment or remove intact containers if it can be done safely
- If cooling streams are ineffective (venting sound increases in volume and pitch, tank discolors or shows any signs of deforming), withdraw immediately to a secure location

#### First Aid:

- Do not put yourself in danger by entering a contaminated area to rescue a victim
- The contaminated victim poses a health risk to the responder
- Decontaminate the victim from a safe distance with a stream of water; have the victim remove clothing if possible; provide Basic Life Support/CPR as needed
- Further decontaminate the victim as follows:
  - Inhalation remove the victim to fresh air and give oxygen if available
  - Skin remove and isolate contaminated clothing (including shoes) and wash skin with soap and large volumes of water for 15 minutes
  - Eye rinse eyes with large volumes of water or saline for 15 minutes
  - Swallowed do not make the victim vomit
- Victims should be examined by a physician as soon as possible
- Do NOT perform direct mouth to mouth resuscitation; use a bag/mask apparatus
- Toxic effects may be delayed

CAS: 371-62-0